## **Product Information**



## C-4 Torque Fluid

Suitable for Most International OEM's Designed to Meet GM Allison C-4 Test Standards

DESCRIPTION

**Xtreme<sup>®</sup> C-4 Torque Fluid** is an ultra-premium, hydraulic transmission fluid designed to service power shift transmissions from Allison Division of General Motors .

**Xtreme**<sup>®</sup> **C-4 Torque Fluid** has outstanding low temperature properties, controlled frictional characteristics, outstanding resistance to oxidation and can be used in many industrial applications calling for premium hydraulic oils where long life and superior performance are required.

**Xtreme<sup>®</sup> C-4 Torque Fluid** is suitable for use in General Motors transmissions where earlier high viscosity version of Dexron<sup>®</sup>, Dexron<sup>®</sup> II or Dexron<sup>®</sup> III or Ford Mercon<sup>®</sup> test standards are required.

Also suitable for use in virtually all transmission manufactured by Chrysler Corporation and all heavy duty automatic transmissions manufactured by Allison Transmission requiring C-3 fluids.

BENEFITS
Eliminates numerous special ATF's, services virtually all domestic and foreign vehicles sold in North America
Synthetic components give outstanding oxidation resistance and extended service life
Proper frictional control for special transmission requirements

PERFORMANCE

- Allison heavy duty transmissions requiring C-2, C-3 or C-4 fluids
- Dexron<sup>®</sup>, Dexron<sup>®</sup> II, Dexron<sup>®</sup> IIE, Dexron<sup>®</sup> III G & H,
- Mercon®,
- Caterpillar TO-2
- Denison HF-O

**Important Note:** Not recommended for use in CVT transmissions nor where dual pump fluid is required. For additional qualifications, please contact Martin Technical Service Department.



MARTIN LUBRICANTS, A Division of Martin Operating Partnership L.P. SMACKOVER, AR 71762 USA PHONE 800 864-6275 www.martinlubricants.com

## **Product Information**

| TYPICAL PROPERTIES         | Method | C4 Torque Fluid |
|----------------------------|--------|-----------------|
| Color, ASTM                | D-1500 | 1.1             |
| API Gravity                | D-4052 | 32.2            |
| Specific Gravity at 15.6°C | D-1298 | 0.8644          |
| Viscosity, cSt at 40°C     | D-445  | 46.80           |
| Viscosity, cSt at 100°C    | D-445  | 8.51            |
| Viscosity Index            | D-2270 | 161             |
| Flash Point, °C (°F)       | D-92   | 230 (446)       |
| Pour Point, °C (°F)        | D-97   | -48 (-54)       |
| ML Bulk Number             |        | 593408          |

The information on this Product Data Sheet is believed to be accurate and is typical of current production. Specifications are subject to change without notice. For additional qualifications, please contact Martin Technical Service Department.

Health And Safety Information: See separate Safety Data Sheets available on request.

DEXRON<sup>®</sup> and MERCON<sup>®</sup> are registered trademarks of General Motors and Ford Motor Company, respectively.

**Unimark**<sup>®</sup> and **Martin Lubricants**<sup>™</sup> are trademarks of Martin Lubricants. All other marks are property of their respective owners.



MARTIN LUBRICANTS, A Division of Martin Operating Partnership L.P. SMACKOVER, AR 71762 USA PHONE 800 864-6275 www.martinlubricants.com